



PACIFIC[®]
F L O O R C A R E

A Hines Corporation Company

Web: PacificFloorcare.com

Phone: 800-968-1332

Email: sales@pacificfloorcare.com

Model Specifications: Pacific S-28 Disk	
Solution Delivery System:	
Solution Capacity	22 gallons / 83 liters
Standard Control	0-.55 gpm / 0-2.1 lpm, variable knob adjustment
Optional Control with Chemical Injection	Low, med & high flow settings (.15, .30 & .50 gpm / .57, 1.14 & 1.9 lpm) Speed sensitive flow or constant output flow control
Scrubbing System:	
Cleaning Path Width	28 in / 711 mm
Pad Size	(2) 14 in / 356 mm disks
Productivity Theoretical Max (per hr)	30,800 ft ² / 2,861 m ²
Productivity Average Coverage Rate (per hr)	22,425 ft ² / 2,083 m ²
Brush Drive System:	
Brush Motor HP	(2) 1.0 hp / 750 W
Brush RPM	300 rpm
Brush/Pad Pressure	70, 110 & 150 lb / 32, 50 & 68 kg
Brush/Pad Attachment/Removal	Automatic on/off
Recovery System:	
Tank Accessibility	Full clean out access
Tank Capacity	25 gallons / 95 liters (3 gallons / 11.4 liters demisting chamber)
Vacuum Motor Power	.7 hp / 522 W, 3-stage
Vacuum Motor Flow	71 cfm / 2.0 cmm

Model Specifications: Pacific S-28 Disk	
Vacuum Motor Water-Lift	71 in / 180 cm
Standard/Narrow Aisle Squeegee Width	40/35 in / 102/89 cm
Drive System:	
Type	Transaxle
Motor Power	.5 hp / 373 W
Battery & Charging System:	
System Voltage	24
Batteries	6 V (4 required)
Rating	260 AH (wet) / 250 AH (MF)
Run Time	Up to 4.5 hours
Charger Type	On-board (standard) Off-board (optional)
Misc Product Specifications:	
Length	56 in / 142 cm
Width without Squeegee	30 in / 76 cm
Height	44 in / 112 cm
Weight with Batteries	660 lb / 299 kg
Sound Level at Operator's Ear	65 dBA
Construction	Rotationally molded polyethylene tanks, powder coated steel frame
Warranty:	
Rotationally Molded Tanks	10 years
Parts excluding Wear Items	3 years
Isolators	N/A
Labor	1 year
Batteries	90 days replacement, 1 year prorated

*Productivity calculations utilize key factors from the ISSA 540 cleaning times handbook

Note: Specifications subject to change without notice

Available Accessories	
Item Number:	Description:
870901	Brush, soft poly (2 required)
870904	Brush, nylon (2 required)
870906	Brush, abrasive grit (2 required)
875902	Pad driver (standard - 2 required)
555902	Pad, 14" Black strip , case of 5
555942	Pad, 14" Red scrub , case of 5
555952	Pad, 14" White polish , case of 5
870704	Front squeegee blade, Linard® rubber (standard), 40-inch
870703	Rear squeegee blade, Linatex® rubber (standard), 40-inch
870710	Front squeegee blade, PRIMOthane® urethane, 40-inch
870709	Rear squeegee blade, PRIMOthane® urethane, 40-inch
871301	Battery, Trojan® 260AH, lead acid (4 required)
879002	Trojan® HydroLink® battery watering system (applicable to 260AH battery packs only - NO AGM)
871302	Battery, 250AH, maintenance free AGM (4 required)